




## ECOFIN PVC SINGLE PLY SYSTEMS

The Ecofin range of waterproofing products have a long and successful history, produced under strict quality control standards. Ecofin PVC single ply has been specifically developed to achieve a fast, sustainable, durable, environmentally friendly and aesthetically pleasing waterproofing solution.



[www.ecofinsingleply.com](http://www.ecofinsingleply.com)


[info@ecofinsingleply.com](mailto:info@ecofinsingleply.com)



## MECHANICALLY FIXING


**ECOFIN MP** has been developed for mechanical fixing applications where speed of application and high wind uplift resistance is required and is specially recommended on large commercial and industrial roofs where lightweight supports are specified such as metal or plywood.

Ecofin MP is reinforced with a polyester mesh which provides great resistance and good dimensional stability.



## BALLASTED AND GREEN ROOFS

**ECOFIN MAT** is specially recommended on ballasted and Green roofs. Ecofin MAT is hot air welded and fixed to the perimeter and detail work. Ecofin MAT is certified for Green roof.



## FULLY BONDED

**ECOFIN FLEECEBACK** has been developed for fully bonded applications, by adhering the membrane to the insulation or the substrate with a cold applied adhesive. The Ecofin fleeceback membrane is polyester reinforced and it's bonded to a 300grs polyester fleece which adheres to the Surface and also provides an additional acoustic performance against rain-noise.

# BENEFITS



 <p><b>UV RESISTANCE</b> Provides long term UV resistance.</p>	 <p><b>FIRE RESISTANCE</b> Ecofin membranes hold Broof T4 fire classification.</p>	 <p><b>FLEXIBILITY</b> Ecofin has been tested down to -35C.</p>
 <p><b>SUSTAINABILITY</b> Certified Lifespan in excess of 25 years.</p>	 <p><b>GUARANTEES</b> Available for 15, 20 and 25 years.</p>	
 <p><b>QUALITY</b> Manufactured to the highest quality standards.</p>	 <p><b>ENVIRONMENTALLY FRIENDLY</b> ISO14001.</p>	
 <p><b>SAFE APPLICATION</b> No naked flames required.</p>	 <p><b>SAFETY</b> CFC &amp; HCFC free.</p>	
 <p><b>AESTHETICS</b> Ecofin provide a modern and aesthetic roof finish.</p>	 <p><b>TECHNICAL SUPPORT</b> Technical reports and CAD drawings available.</p>	 <p><b>CERTIFICATIONS</b> Certified to the highest standards, BBA, CE, approval.</p>





## SINGLE PLY MEMBRANES

### ECOFIN MP - Mechanically fixed

PRODUCT	DESCRIPTION	ROLL SIZE	ROLLS PALLET	M2/PALLET
1.2mm	Ecofin MP	2.10/1.05 x 20	14-28	588
1.5mm	Ecofin MP	2.10/1.05 x 20	14-28	588

### ECOFIN FLEECEBACK - Fully bonded applications

PRODUCT	DESCRIPTION	ROLL SIZE	ROLLS PALLET	M2/PALLET
1.2 Fleeceback	Ecofin Fleeceback	1.6 x 20	16	512
1.5 Fleeceback	Ecofin Fleeceback	1.6 x 20	16	512

### ECOFIN MAT - Ballasted and green roof

PRODUCT	DESCRIPTION	ROLL SIZE	ROLLS PALLET	M2/PALLET
1.5mm	Ecofin MAT	2.10 x 15	17	553,5

### ECOFIN SA - Unreinforced

PRODUCT	DESCRIPTION	ROLL SIZE	ROLLS PALLET	M2/PALLET
SA 1.5	Unreinforced	1.05 x 20	34	714

### ECOFIN - Auxiliar materials

PRODUCT	DESCRIPTION	ROLL SIZE	ROLLS PALLET	M2/PALLET
metal sheet	Ecofin coated steel	2m x 1m	100	200
cover strip	reinforced cover strip	150mm x 20m	n/a	n/a
internal corner	preformed PVC corners	n/a	30 per box	n/a
external corner	preformed PVC corners	n/a	50 per box	n/a
pvc outlets	preformed PVC outlets	n/a	n/a	n/a
parapet outlet	preformed PVC outlets	n/a	n/a	n/a
standing seam profile	decorative PVC profile	4'm length	n/a	n/a
fleeceback adhesive	FB membrane to deck	n/a	n/a	n/a
fleeceback adhesive	non FB to upstands	n/a	n/a	n/a

\* **COLOR:** available in dark and light grey.

\* Other colors, thickness and dimensions available upon request.



[www.ecofinsingleply.com](http://www.ecofinsingleply.com)

[info@ecofinsingleply.com](mailto:info@ecofinsingleply.com)

+44(0) 3304004457